

## 1112-1 2" Wide General Purposes Caster Series

SPU (black and red round) Wheel Diameter x Wheel Width 125 x 50 mm

A


KS-11120501464031

Side-brake Casters, Welded Caster Fork, black paint finish. Base plate Mounting Type, 85x70mm Bolt Hole Spacing. Cast Iron Wheel Center, High Quality Polyurethane Wheel Tread, Cast Iron red. Bearings—Ball Bearings.

Wheel Tread: High-Quality Polyurethane

Wheel Center: Iron core / Cast iron core

Drawings are for reference only and may differ from the product



Picture may differ from original product

### Technical Data


Imperial  Metric

|                         |                               |
|-------------------------|-------------------------------|
| Wheel Diameter          | 5 "                           |
| Wheel Width             | 2 "                           |
| Wheel Bearing           | Wheels With Ball Bearings     |
| Plate Size              | 4-9/16 " x 4 "                |
| Bolt Hole Spacing       | 3-3/8 " x 2-3/4 "             |
| Plate Hole              | 13/16 " x 3/8 "               |
| Offset                  | 1-3/16 "                      |
| Swivel Interference     | 8-1/16 "                      |
| Overall Height          | 6-5/8 "                       |
| Swivel Radius           | 4-1/16 "                      |
| Hardness Of Tread       | 92±5° Shore A                 |
| Load Capacity (Dynamic) | 750lbs                        |
| Load Capacity (Static)  | 1124lbs                       |
| Temperature             | -4°F to +158°F                |
| Fork Type               | Swivel Caster With Side Brake |
| Stainless               | N/A                           |
| Electrical Conductivity | N/A                           |
| Anti-Static             | N/A                           |
| Weight                  | 5.3lbs                        |
| Standard                | ISO22883                      |


### Advantages at a glance

|                            |           |
|----------------------------|-----------|
| Rolling Resistance         | ● ● ● ○ ○ |
| Operating Noise            | ● ● ● ● ○ |
| Floor Surface Preservation | ● ● ● ● ○ |

### Dimensions



### Mounting



\* For any deviation between metric and imperial spec, please refer to the metric spec.