

## 1112-1 2" Wide General Purposes Caster Series

QPU (Brown round) Wheel Diameter × Wheel Width 125 x 40mm

A


KS-11120501534021

Front-brake Casters, Welded Caster Fork, black paint finish  
 Base plate Mounting Type device, 85x70mm Bolt Hole Spacing  
 Cast Iron Wheel Center, High Quality Polyurethane Wheel Tread, Cast Iron brown  
 Bearings—Ball Bearings, with iron caps

Wheel Tread: High-Quality Polyurethane

Wheel Center: Iron core / Cast iron core

Drawings are for reference only and may differ from the product



Picture may differ from original product

### Technical Data


Metric  Imperial

|                         |                                |
|-------------------------|--------------------------------|
| Wheel Diameter          | 125mm                          |
| Wheel Width             | 40mm                           |
| Wheel Bearing           | Wheels With Ball Bearings      |
| Plate Size              | 115 x 100mm                    |
| Bolt Hole Spacing       | 85 x 70mm                      |
| Plate Hole              | 20 x 11mm                      |
| Offset                  | 30mm                           |
| Swivel Interference     | 306mm                          |
| Overall Height          | 167.5mm                        |
| Swivel Radius           | 153mm                          |
| Hardness Of Tread       | 92±5° Shore A                  |
| Load Capacity (Dynamic) | 400kgs                         |
| Load Capacity (Static)  | 600kgs                         |
| Temperature             | -20°C to +70°C                 |
| Fork Type               | Swivel Caster With Front Brake |
| Stainless               | N/A                            |
| Electrical Conductivity | N/A                            |
| Anti-Static             | N/A                            |
| Weight                  | 3.07kgs                        |
| Standard                | ISO22883                       |


### Advantages at a glance

|                            |       |
|----------------------------|-------|
| Rolling Resistance         | ••••• |
| Operating Noise            | ••••• |
| Floor Surface Preservation | ••••• |

### Dimensions



### Mounting



\* For any deviation between metric and imperial spec, please refer to the metric spec.