

# 1116-SS-MI Medium Duty Institutional Stainless Steel Caster Series



W Resolute Wheel Diameter × Wheel Width 100 x 31mm

EAN


TW-4111604002065

Swivel Casters, Riveted and Stamping Top Plate—high-grade perforated design. Surface vibration protection, Mounting Type - Top Plate. Reinforced impact-resistant polypropylene Wheel Center, High-Quality Reinforced Polypropylene Rubber (TPR) Wheel Tread. Gray, Bearing—Ball Bearings.

Wheel tread: Thermoplastic rubber elastomer (TPR)

Wheel Center: Made of high-quality impact-resistant polypropylene

Drawings are for reference only and may differ from the product



Picture may differ from original product

## Technical Data


Imperial  Metric

|                         |                           |
|-------------------------|---------------------------|
| Wheel Diameter          | 4 "                       |
| Wheel Width             | 1-1/4 "                   |
| Wheel Bearing           | Wheels With Ball Bearings |
| Plate Size              | 3-5/8 " x 2-13/16 "       |
| Bolt Hole Spacing       | 3 " x 1-13/16 "           |
| Plate Hole              | 1/2 " x 23/64 "           |
| Offset                  | 1-5/8 "                   |
| Swivel Interference     | 7-1/4 "                   |
| Overall Height          | 5-1/2 "                   |
| Swivel Radius           | 3-5/8 "                   |
| Hardness Of Tread       | 72±5° Shore A             |
| Load Capacity (Dynamic) | 298lbs                    |
| Load Capacity (Static)  | 446lbs                    |
| Temperature             | -4°F to +140°F            |
| Fork Type               | Swivel Caster             |
| Stainless               | Y                         |
| Electrical Conductivity | N/A                       |
| Anti-Static             | N/A                       |
| Weight                  | 1.7lbs                    |
| Standard                | ISO22883                  |


## Advantages at a glance

|                            |       |
|----------------------------|-------|
| Rolling Resistance         | ••••• |
| Operating Noise            | ••••• |
| Floor Surface Preservation | ••••• |

## Dimensions



## Mounting



\* For any deviation between metric and imperial spec, please refer to the metric spec.