


## QPU Series

Wheel Diameter x Wheel Width 250 x 62mm

EAN

YJ-12035410256128

Good elasticity, reduces pushing resistance, improves machine controllability, and has good wear resistance.  
Excellent Hydrolysis Resistance.  
Suitable for tropical regions and humid working environments.  
QPU brown Wheel Tread with arc shape.



Wheel Tread: cast iron core  
Wheel Center: High-quality polyurethane  
Bearings: —

Drawings are for reference only and may differ from the product

Picture may differ from original product

### Technical Data

Imperial  Metric

Wheel Diameter(D) 10 "

Wheel Width(T2) 2-1/2 "

Wheel Bearing Without Bearing

Axle Bore(d)

Axle Bore(S) 2-1/2 "

Bearing Bore Depth(t) 11/16 "

Hub Length(T1) 2-7/16 "

Hardness Of Tread 92±5° Shore A

Load Capacity (Dynamic) 2150lbs

Load Capacity (Static) 3223lbs

Temperature -4°F to +158°F

Electrical Conductivity N/A

Anti-Static N/A

Weight 16.8lbs

Standard ISO22883


### Advantages at a glance

Rolling Resistance • • • •

Operating Noise • • • •

Floor Surface Preservation • • • •

### 2D Dimensional Drawing of Single Wheel



\* For any deviation between metric and imperial spec, please refer to the metric spec.

© Copyright 2025 Dersheng International www.dersheng.com