

## QPU Series

Wheel Diameter x Wheel Width 200 x 80mm


EAN

YJ-12036308330203

It has good elasticity, reduces pushing resistance, improves machine controllability, and has good wear resistance.  
 It has excellent Hydrolysis Resistance.  
 Suitable for tropical regions and humid working environments.  
 QPU Gray

Wheel Center: Iron core

Wheel Tread: High-quality polyurethane



Picture may differ from original product

Product descriptions are for reference only. The actual product shall prevail.

## Technical Data


 Imperial  Metric

Wheel Diameter (D)	8 "
Wheel Width (T2)	3-1/8 "
Wheel installation — Hub Lenth (T1)	— "
Wheel Mounting Bore Diameter	1-3/8 "
Keyway Width	3/8 "
Wheel Keyway Depth (H)	1-9/16 "
Load Capacity (Static)	2778lbs
Load Capacity at 4 km/h	1852lbs
Load Capacity at 6 km/h	1574lbs
Load Capacity at 10 km/h	1296lbs
Load Capacity at 16 km/h	741lbs
Hardness Of Tread	77±5° Shore A
Temperature	-4°F to +158°F
Tread Pattern	—
Wheel centre/ rim	Iron core/galvanized
Non-Marking	Y
Conductive	N/A
Anti	N/A
Weight	22.8lbs
Standard	ISO22883

## Advantages at a glance

Rolling Resistance	• • • •
Operating Noise	• • • •
Floor Surface Preservation	• • • •

## 2D Dimensional Drawing of Drive Wheel



\* For any deviation between metric and imperial spec, please refer to the metric spec.

© Copyright 2026 DershengInternational www.dersheng.com