

NBR Series

Wheel Diameter x Wheel Width 250 x 50mm

EAN

YJ-12040410206201

Made of High-Quality Resilient Rubber Features excellent handling comfort, good Floor Surface Preservation, and Shock-Absorbing. Excellent resistance to chemicals, solvents, and corrosion. Suitable for industrial and heavy-duty wheels. Rubber, Black, Curved Wheel Surface



Wheel Center: cast iron core

Outer packaging: rubber

Bearings: —

Drawings are for reference only and may differ from the product

Picture may differ from original product

Technical Data

Metric Imperial

Wheel Diameter(D) 250mm

Wheel Width(T2) 50mm

Wheel Bearing Without Bearing

Axle Bore(d) —

Axle Bore(S) 52mm

Bearing Bore Depth(t) 15mm

Hub Length(T1) 50mm

Hardness Of Tread 85±5° Shore A

Load Capacity (Dynamic) 400kgs

Load Capacity (Static) 600kgs

Temperature -20°C to +80°C

Electrical Conductivity N/A

Anti-Static N/A


Weight 4.33kgs

Standard ISO22883

Advantages at a glance

Rolling Resistance	● ● ● ○ ○
Operating Noise	● ● ● ● ○
Floor Surface Preservation	● ● ● ● ○

2D Dimensional Drawing of Single Wheel



* For any deviation between metric and imperial spec, please refer to the metric spec.

© Copyright 2025 DershengInternational www.dersheng.com