

## NBR Series

Wheel Diameter x Wheel Width 306 x 49mm

EAN

YJ-12040412206201

Made of High-Quality Resilient Rubber Features good handling, excellent Floor Surface Preservation, and Shock-Absorbing. Excellent resistance to chemicals, solvents, and corrosion. Suitable for industrial and heavy-duty wheels. Rubber, Black, Curved Wheel Surface



Wheel Center: cast iron core

Outer packaging: rubber

Bearings: —

Drawings are for reference only and may differ from the product

Picture may differ from original product

### Technical Data

Metric  Imperial

Wheel Diameter(D) 306mm

Wheel Width(T2) 49mm

Wheel Bearing Without Bearing

Axle Bore(d) —

Axle Bore(S) 52mm

Bearing Bore Depth(t) 15mm

Hub Length(T1) 51mm

Hardness Of Tread 85±5° Shore A

Load Capacity (Dynamic) 500kgs

Load Capacity (Static) 750kgs

Temperature -20°C to +80°C

Electrical Conductivity N/A

Anti-Static N/A

Weight 6.01kgs

Standard ISO22883


### Advantages at a glance

Rolling Resistance ● ● ● ○ ○

Operating Noise ● ● ● ● ○

Floor Surface Preservation ● ● ● ● ○

### 2D Dimensional Drawing of Single Wheel



\* For any deviation between metric and imperial spec, please refer to the metric spec.

© Copyright 2025 DershengInternational www.dersheng.com