


NMBR Series

Wheel Diameter x Wheel Width 250 x 50mm

EAN

YJ-12041110206101

Made from High-Quality, elastic, non-greasy, environmentally friendly rubber. Features high Resilient, providing excellent Floor Surface Preservation, Shock-Absorbing, and noise reduction. The non-greasy rubber Non-Markings when walked on. Suitable for any surface. Rubber, natural color, Wheel Tread profile: Crown.



Wheel Center: cast iron core

Outer packaging: rubber

Bearings: —

Drawings are for reference only and may differ from the product

Picture may differ from original product

Technical Data

Imperial Metric

Wheel Diameter(D) 10 "

Wheel Width(T2) 2 "

Wheel Bearing Without Bearing

Axle Bore(d) —

Axle Bore(S) 1-15/16 "

Bearing Bore Depth(t) 5/8 "

Hub Length(T1) 2 "

Hardness Of Tread 60±5° Shore A

Load Capacity (Dynamic) 1102lbs

Load Capacity (Static) 1653lbs

Temperature -4°F to +176°F

Electrical Conductivity N/A

Anti-Static N/A

Weight 9.2lbs

Standard ISO22883


Advantages at a glance

Rolling Resistance ● ● ● ○ ○

Operating Noise ● ● ● ● ○

Floor Surface Preservation ● ● ● ● ○

2D Dimensional Drawing of Single Wheel



* For any deviation between metric and imperial spec, please refer to the metric spec.

© Copyright 2025 DershengInternational www.dersheng.com