

## NBR Series

Wheel Diameter x Wheel Width 245 x 48mm

EAN

YJ-12041610186101

Made of High-Quality Resilient Rubber Features excellent handling comfort, good Floor Surface Preservation, and Shock-Absorbing. Excellent resistance to chemicals, solvents, and corrosion. Suitable for industrial and heavy-duty wheels. Rubber, Black, Curved Surface, Patterned Wheel Tread. Increases grip and effectively improves slip resistance.

Wheel Center: cast iron core

Wheel Tread: Rubber

Bearings: —

Drawings are for reference only and may differ from the product



Picture may differ from original product

### Technical Data

Metric  Imperial

Wheel Diameter(D) 245mm

Wheel Width(T2) 48mm

Wheel Bearing Without Bearing

Axle Bore(d) —

Axle Bore(S) 47mm

Bearing Bore Depth(t) 12mm

Hub Length(T1) 46mm

Hardness Of Tread 85±5° Shore A

Load Capacity (Dynamic) 400kgs

Load Capacity (Static) 600kgs

Temperature -20°C to +80°C

Electrical Conductivity N/A

Anti-Static N/A

Weight 3.81kgs

Standard ISO22883


### Advantages at a glance

Rolling Resistance • • • ○ ○

Operating Noise • • • • ○

Floor Surface Preservation • • • • ○

### 2D Dimensional Drawing of Single Wheel



\* For any deviation between metric and imperial spec, please refer to the metric spec.

© Copyright 2025 DershengInternational www.dersheng.com