

Rubber Series

Wheel Diameter × Wheel Width 305 x 140mm

EAN

YJ-12046212580101

Made of High-Quality Resilient Rubber Features excellent handling comfort, superior Floor Surface Preservation, and Shock-Absorbing. Excellent resistance to chemicals, solvents, and corrosion. Suitable for industrial and heavy-duty wheels. Rubber, black, Wheel Tread profile: Crown.

Wheel Center: Iron core
Outer packaging: rubber



Picture may differ from original product

Product descriptions are for reference only. The actual product shall prevail.

Technical Data


Metric Imperial

Wheel Diameter (D)	305mm
Wheel Width (T2)	140mm
Wheel installation — Hub Lenth (T1)	40mm
Wheel center-bore diameter (d)	—
Wheel Mounting Bolt Hole PCD Diameter	—
Wheel Mounting Bolt Hole PCD	162mm
# Of Wheel mounting bolt boles	—
Wheel mounting bolt hole (M)	10
Number of wheel mounting bolt holes	9
Load Capacity (Static)	900kgs
Load Capacity at 4 km/h	600kgs
Load Capacity at 6 km/h	510kgs
Load Capacity at 10 km/h	420kgs
Load Capacity at 16 km/h	240kgs
Hardness Of Tread	72±5° Shore A
Temperature	-20°C to +80°C
Tread Pattern	—
Wheel centre/ rim	Iron core/galvanized
Non-Marking	Y
Conductive	N/A
Anti	N/A
Weight	35.06kgs
Standard	ISO22883

Advantages at a glance

Rolling Resistance	● ● ● ● ●
Operating Noise	● ● ● ● ●
Floor Surface Preservation	● ● ● ● ● ○

2D Dimensional Drawing of Drive Wheel



* For any deviation between metric and imperial spec, please refer to the metric spec.