

## Rubber Series

Wheel Diameter × Wheel Width 305 x 140mm

EAN

YJ-12046212580101

Made of High-Quality Resilient Rubber Features excellent handling comfort, superior Floor Surface Preservation, and Shock-Absorbing. Excellent resistance to chemicals, solvents, and corrosion. Suitable for industrial and heavy-duty wheels. Rubber, black, Wheel Tread profile: Crown.

Wheel Center: Iron core  
Outer packaging: rubber



Picture may differ from original product

Product descriptions are for reference only. The actual product shall prevail.


### Technical Data

<input checked="" type="radio"/> Imperial <input type="radio"/> Metric	
Wheel Diameter (D)	12-1/16 "
Wheel Width (T2)	5-9/16
Wheel installation — Hub Lenth (T1)	1-5/8 "
Wheel center-bore diameter (d)	—
Wheel Mounting Bolt Hole PCD Diameter	—
Wheel Mounting Bolt Hole PCD	6-1/2 "
# Of Wheel mounting bolt boles	—
Wheel mounting bolt hole (M)	10
Number of wheel mounting bolt holes	9
Load Capacity (Static)	1984lbs
Load Capacity at 4 km/h	1323lbs
Load Capacity at 6 km/h	1124lbs
Load Capacity at 10 km/h	926lbs
Load Capacity at 16 km/h	529lbs
Hardness Of Tread	72±5° Shore A
Temperature	-4°F to +176°F
Tread Pattern	—
Wheel centre/ rim	Iron core/galvanized
Non-Marking	Y
Conductive	N/A
Anti	N/A
Weight	77.3lbs
Standard	ISO22883

### Advantages at a glance

Rolling Resistance	● ● ● ● ●
Operating Noise	● ● ● ● ●
Floor Surface Preservation	● ● ● ● ● ○

### 2D Dimensional Drawing of Drive Wheel



\* For any deviation between metric and imperial spec, please refer to the metric spec.